


Phone NO:0191-2546697(J)
0194-2493309(S)
Website: jksmg.gov.in



Fax: 0191-2565105 (J)
0194-2490473(S)
E-mail: dirmsmg@gmail.com

GOVERNMENT OF JAMMU AND KASHMIR
Directorate of State Motor Garages J&K
New Plots Jammu

Tender Notice No: 01 OF 2016.
DATED:- 14 :01 :2016

For and on behalf of the Governor of J&K State sealed tenders affixed with revenue stamp of Rs 5/- are invited from the Registered/reputed firms for supply of "Seat Covers" suitable for different type of vehicles as per the list forming annexure to this Notice..



The tenders superscribed as tender for Seat Covers addressed to the Director, State Motor Garages Department, J&K Government should reach **State Motor Garages Department, New Plots Jammu** by or before **19/02/2016 upto 1700 hours**. The opening date shall be notified separately.

Terms and Conditions

The tenders shall have to be submitted in a single sealed envelope containing two separate sealed envelopes superscribed as "Technical Bid" and "Financial Bid".

1. The "Technical Bid" duly scaled in an envelope shall contain the following:-
 - I. Specification of material/Samples.
 - II. CDR/FDR for an amount of ₹2000/- pledged to Director, State Motor Garages Department, J&K Government.

(Handwritten signatures)

- III. Tax Clearance Certificate from Commercial Taxes Department/Income Tax Department for the current Assessment year.
 - IV. An undertaking to the effect that the rates offered if approved by the Purchase Committee shall remain in-force for one year from the date of placement of first supply order.
 - V. A certificate that the firm has not been black listed by any Government/Semi-Government Department.
 - VI. Copy of terms and conditions, if any.
 - VII. Copy of certificate if registered as an SSI unit.
2. The **Financial Bid** duly sealed in an another envelope shall contain following:-
- I. Rates quoted both in figures as well as in words against each item without any cuttings or overwriting.
 - II. Rates offered in respect of each item are operative for a period of one year from the date of placement of first supply order.
 - III. Guarantee/Warranty period of spare parts wherever applicable be specified and for such items, in case of detection of any defect during the said period, the items shall have to be replaced free of cost by the successful tenderer.
 - IV. Rates in the tender should be quoted both FOR Jammu as well as Srinagar and should be inclusive of all taxes like Octroi, Bank Charges, Freight, Transit insurance, packaging, forwarding and entry taxes etc as applicable for such supplies in the State of J&K.
 - V. The State Level Purchase Committee reserves to itself the right of accepting or rejecting any or all tenders without assigning any reason thereof.
 - VI. Disputes if any, shall be settled by the Courts within the jurisdiction of J&K State (Srinagar/Jammu).
-  






Other Terms & Conditions:

1. 100% payment will be made on receipt of verified bills from the concerned consignees.
2. The department shall be at liberty to procure these items in minimum quantity as and when required.
3. The successful tenderer shall have to execute the supplies within the time limit prescribed in the supply order. In case the successful tenderer fails to make the supply within the stipulated time limit, the supply order shall be treated as cancelled without any prior notice and the supply order shall be placed with the second successful tenderer and the cost of difference between the first lowest and second lowest shall have to be paid by the first party.


(Z.H. Choudhary)

Director,
State Motor Garages Department,
J&K, Jammu

No:-POS-02/
Dated 14-1-2016

Annexure to this office NIT No:-01 OF 2016 Dated:-14 /01/2016.

S.No	Nomenclature	S.No	Nomenclature
01.	<u>Seat Cover for Ambassador Car MPFI (Bucket type)</u> . Superior quality lined foam with Crocodile/Cowdry mill print with thickness 1mm to 1.5 mm, with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.	01.	Velvet Type Foam seat cover <u>for Ambassador Car MPFI (Bucket type)</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.
02.	<u>Seat Cover for Ambassador Car MPFI (Bench type)</u> Superior quality lined foam with Crocodile/Cowdry mill print with thickness 1mm to 1.5 mm, with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.	02.	Velvet Type Foam seat cover <u>for Ambassador Car MPFI (Bench type)</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.
03.	<u>Seat Cover for Mahindra Scorpio all Type</u> Superior quality lined foam with Crocodile/Cowdry mill print with thickness 1mm to 1.5 mm, with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.	03.	Velvet Type Foam seat cover <u>for Mahindra Scorpio all Type</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.
04.	<u>Seat Cover for Maruti Swift Dzire</u> Superior quality lined foam with Crocodile/Cowdry mill print with thickness 1mm to 1.5 mm, with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.	04.	Velvet Type Foam seat cover <u>for Maruti Swift Dzire</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.

S

ll

2

05.	<p><u>Seat Cover for Maruti SX4</u> Superior quality lined foam with Crocodile/Cowdry mill print with thickness 1mm to 1.5 mm, with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.</p>	05.	<p>Velvet Type Foam seat cover <u>for Maruti SX4</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.</p>
06.	<p><u>Seat Cover for Toyota Innova all Type</u> Superior quality lined foam with Crocodile/Cowdry mill print with thickness 1mm to 1.5 mm, with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.</p>	06.	<p>Velvet Type Foam seat cover <u>for Toyota Innova all Type</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.</p>
07.	<p><u>Seat Cover for Tata Safari all Type</u> Superior quality lined foam with Crocodile/Cowdry mill print with thickness 1mm to 1.5 mm, with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.</p>	07.	<p>Velvet Type Foam seat cover <u>for Tata Safari all Type</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.</p>
08.	<p><u>Seat Cover for Tavera all Type</u> Superior quality lined foam with Crocodile/Cowdry mill print with thickness 1mm to 1.5 mm, with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.</p>	08.	<p>Velvet Type Foam seat cover <u>for Tavera all Type</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.</p>

3

↓

2

09	<u>Seat Cover for Sumo</u> Superior quality lined foam with Crocodile/Cowdry mill print with thickness 1mm to 1.5 mm, with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.	09.	Velvet Type Foam seat cover <u>for Sumo</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.
10	<u>Seat Cover for Bolero all Type</u> Superior quality lined foam with Crocodile/Cowdry mill print with thickness 1mm to 1.5 mm, with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.	10.	Velvet Type Foam seat cover <u>for Bolero all Type</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.
11	<u>Seat Cover for Ford Ikon</u> Superior quality lined foam with Crocodile/Cowdry mill print with thickness 1mm to 1.5 mm, with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats..	11.	Velvet Type Foam seat cover <u>for Ford Ikon</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.
12	<u>Seat Cover for Toyota corolla</u> Superior quality lined foam with Crocodile/Cowdry mill print with thickness 1mm to 1.5 mm & company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.		
13	<u>Seat Cover for Maruti Ciaz</u> Superior quality lined foam with Crocodile/Cowdry mill print with thickness 1mm to 1.5 mm, with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.		
14	<u>Seat Cover for City Honda</u> Superior quality lined foam with Crocodile/Cowdry mill print with thickness 1mm to 1.5 mm,		

	with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.
15	Velvet Type Foam seat cover <u>for Maruti Van 8 seater</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.
16	Velvet Type Foam seat cover <u>for Maruti Gypsy (Soft Top)</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.
17	Velvet Type Foam seat cover <u>for Maruti Gypsy (Hard Top)</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.
18.	Velvet Type Foam seat cover <u>for Sawraj Mazda Truck</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.
19	Velvet Type Foam seat cover <u>for Maruti Eco</u> with company fitted bolster complete set padded with 18mm thick foam. Border width should be 13" for front seats.


 Director,
 State Motor Garages Department,
 J&K Jammu


 12/1


 12/1